

## **Data User Guide**

# NRT Advanced Microwave Scanning Radiometer 2 (AMSR2) Daily L3 Global Snow Water Equivalent EASE-Grids

#### Introduction

The GCOM-W1 near real-time (NRT) AMSR2 Level 3 Snow Water Equivalent (SWE) datasets contain SWE data and quality assurance flags mapped to the Northern and Southern Hemisphere 25 km Equal-Area Scalable Earth Grids (EASE-Grids). NRT products are generated within 3 hours of the last observations in the file by the Land Atmosphere Near real-time Capability for EOS (LANCE) at the AMSR Science Investigator-led Processing System (AMSR SIPS), which is collocated with the Global Hydrology Resource Center (GHRC) Distributed Active Archive Center (DAAC).

#### **Notice:**

All LANCE AMSR2 data should be used with the understanding that these are preliminary products. Cross calibration with AMSR-E products has not been performed. As updates are made to the L1R data set, those changes will be reflected in this higher level product.

#### Citation

Tedesco, M. 2015. NRT AMSR2 Daily L3 Global Snow Water Equivalent EASE-Grids [indicate subset used]. Dataset available online, [https://lance.nsstc.nasa.gov/amsr2-science/data/level3/daysnow/] from NASA LANCE AMSR2 at the GHRC DAAC Huntsville, Alabama, U.S.A. doi: http://dx.doi.org/10.5067/AMSR2/A2 DySno NRT

## **Keywords:**

Snow; ice; snow water equivalent

#### **LANCE**

The Land Atmosphere Near real-time Capability for EOS (LANCE) makes EOS data from MODIS, AIRS, MLS, OMI, AMSR2, and MISR available within three hours of satellite overpass to meet the timely needs of applications such as numerical weather and climate prediction; forecasting and monitoring natural hazards, ecological/invasive species, agriculture, and air quality; providing help with disaster relief; and homeland security. Please note that LANCE has a rolling archive life of ten days on the HTTPS server. Once ten days pass following the data acquisition date, users must use the standard products.

If data latency is not a primary concern, please consider using science quality standard products. Science products are created using the best available ancillary, calibration and ephemeris information. Science quality products are an internally consistent, well-calibrated record of the Earth's geophysical properties to support science. The AMSR2 standard science quality data products will be available from the NSIDC DAAC.

### **Instrument Description**

The Advanced Microwave Scanning Radiometer 2 (AMSR2) instrument aboard the Global Change Observation Mission - Water 1 (GCOM-W1) provides global passive microwave measurements of terrestrial, oceanic, and atmospheric parameters for the investigation of global water and energy cycles. Both AMSR2 and GCOM-W1 are built and operated by Japan Exploration Agency (JAXA). Data from this instrument are ingested from JAXA into NASA's LANCE element at the AMSR SIPS to be processed with US AMSR Science Team members' algorithms.

The AMSR instruments improved upon the heritage of the Scanning Multichannel Microwave Radiometer (SMMR), Special Sensor Microwave/Imager (SSM/I) and Tropical Rainfall Measuring Mission (TRMM) Microwave Instrument (TMI) instruments. Major improvements over those instruments included channels spanning the 6.9 GHz to 89 GHz frequency range, and higher spatial resolution from the 1.6 m reflector. More information about AMSR2 can be found at <a href="http://global.jaxa.jp/projects/sat/gcom\_w/">http://global.jaxa.jp/projects/sat/gcom\_w/</a>.

# **Investigators**

Marco Tedesco City University of New York Department of Earth and Atmosphere Sciences New York, NY 10031 202-375-4884 mtedesco@ccny.cuny.edu

## **File Naming Convention**

The data are formatted using the following file naming convention.

Data: AMSR\_2\_L3\_DailySnow\_X##\_yyyymmdd.he5

**Browse:** AMSR\_2\_L3\_DailySnow\_X##\_yyyymmdd\_f\_SWE.png **QA Summary Files:** AMSR\_2\_L3\_DailySnow\_X##\_yyyymmdd.qa

Table 1: File naming convention variables

| Variable | Description                              |
|----------|--|
| X        | Product Maturity code (Refer to table 2) |
| ##       | Two-digit file version number            |
| уууу     | Four-digit year                          |
| mm       | Two-digit month                          |
| dd       | Two-digit day                            |
| f        | N = Northern or S = Southern             |
| .he5     | HDF-EOS5 format                          |
| .xml     | Metadata file                            |
| .met     | Metadata file                            |
| .png     | Portable Network Graphics format         |
| .qa      | GPS Quality Assessment Data              |

As NRT data are received from JAXA, partial daily products are generated and identified with a product maturity code of "P" in the filename. Once all Level-1R inputs are available, the complete daily product contains product maturity code "R" (near real-time) in the filename. Incremental processing makes data available to the user as it is received, rather than at the end of the day. Table 2 outlines the product maturity code variables used in the file naming convention.

Table 2: Product Maturity Code Variables

| Variable | Description           |
|----------|-----------------------|
| P        | Partial daily product |
| R        | Near real-time        |

# **Data Format Description**

Data are stored in HDF-EOS5 format and are available via HTTP from the EOSDIS LANCE system at <a href="https://lance.nsstc.nasa.gov/amsr2-science/data/level3/daysnow/">https://lance.nsstc.nasa.gov/amsr2-science/data/level3/daysnow/</a>. Each file contains 721 rows by 721 columns pixel data fields in 1-byte unsigned integer format. Please refer to Table 3 for more information on the dataset characteristics.

Table 3: Dataset Characteristics

| Characteristic | Description   |
|----------------|---|
| Platform       | Global Change Observation Mission - Water 1 (GCOM-W1)   |
| Instrument     | Advanced Microwave Scanning Radiometer 2 (AMSR2)        |
| Projection     | Northern and Southern Hemisphere EASE-Grid projections. |
|                | For more information, please visit:                     |
|                | http://nsidc.org/data/ease/ease grid.html               |

| Spatial Coverage    | N: 90, S: -90, W: -180, E: 180 (Global)   |
|---------------------|---|
| Spatial Resolution  | 25 km x 25km                              |
| Temporal Coverage   | Start date: 09-06-2015 Stop date: Ongoing |
| Temporal Resolution | Daily                                     |
| Parameter           | Snow Water Equivalent                     |
| Processing Level    | Level 3                                   |
| Data Format         | HDF-EOS5                                  |

#### **Data Parameters**

Each data file contains several SWE data fields and associated pixel values. Please refer to Tables 4 and 5 for additional data field and pixel value information.

Table 4: Data Fields

| Data Field          | Description                     | Value Range |
|---------------------|---------------------------------|-------------|
| Flags_NorthernDaily | QA Flag (Table 6)               | 241-255     |
| SWE_NorthernDaily   | Daily SWE Pixel Value (Table 5) | 0-255       |
| Flags_SouthernDaily | QA Flag (Table 6)               | 241-255     |
| SWE_SouthernDaily   | Daily SWE Pixel Value (Table 5) | 0-255       |

Table 5: Pixel Values for SWE Fields

| Value | Description                   |
|-------|-------------------------------|
| 0-240 | SWE divided by 2 (mm)         |
| 247   | Incorrect spacecraft attitude |
| 248   | Off-earth                     |
| 252   | Land or snow impossible       |
| 253   | Ice sheet                     |
| 254   | Water                         |
| 255   | missing                       |

**Note:** SWE fields are scaled and must be multiplied by a factor of 2.

# **Quality Assessment**

Quality Assessment (QA) metadata flags are provided with each data file. The associate QA flag pixel values are outline in Table 6. In addition, a separate XML metadata QA summary file is provided for each data file.

Table 6: Pixel Values for QA Flag Fields

| Value | Description             |
|-------|-------------------------|
| 241   | Non-validated           |
| 248   | Off-earth               |
| 252   | Land or snow impossible |
| 253   | Ice sheet               |
| 254   | Water                   |
| 255   | No Data                 |

#### References

Basist, A., N. C. Grody, T. C. Peterson, and C. N. Williams. 1998. Using the Special Sensor Microwave Imager to Monitor Land Surface Temperatures, Wetness and Snow Cover. Journal of Applied Meteorology 37(9): 888-911.

Brodzik, M. J. 1997. EASE-Grid: A Versatile Set of Equal-Area Projections and Grids. Boulder, CO, USA: National Snow and Ice Data Center.

Brown, R. D. and R. O. Braaten, 1998. Spatial and Temporal Variability of Canadian Monthly Snow Depths, 1946-1995. Atmosphere-Ocean 36: 37-45.

Chang, Alfred T. C., and Albert Rango. 2000. Algorithm Theoretical Basis Document for the AMSR-E Snow Water Equivalent Algorithm, Version 3.1. Greenbelt, Maryland USA: NASA Goddard Space Flight Center. (PDF file, 300 KB)

Chang, A. T. C., J. L. Foster, Dorothy K. Hall, B. E. Goodison, A. E. Walker, and J. R. Metcalfe. 1997. Snow Parameters Derived from Microwave Measurements During the BOREAS Winter Field Experiment. Journal of Geophysical Research 102: 29663-29671.

Chang, A. T. C., J. L. Foster, and Dorothy K. Hall. 1987. Nimbus-7 Derived Global Snow Cover Parameters. Annals of Glaciology 9: 39-44.

Chang, A. T. C., J. L. Foster, Dorothy Hall, A. Rango, and B. Hartline. 1982. Snow Water Equivalence Determination by Microwave Radiometry. Cold Regions Science and Technology 5: 259-267.

Chang, A. T. C., R. E. J. Kelly, J. L. Foster, and Dorothy K. Hall. The Testing of AMSR-E Snow Depth and Snow Water Equivalent Estimates in the Northern Hemisphere. Poster presented at the AGU Fall Meeting, San Fransisco, CA., 8-12 December 2003a.

Chang, A. T. C., Richard E. J. Kelly, J. L. Foster, and Dorothy K. Hall. Global SWE Monitoring Using AMSR-E Data. Poster presented at the Proceedings of IGARSS, Toulouse, France, 21-25 July 2003

Chang, A. T. C., Richard E. J. Kelly, J. L. Foster, and Dorothy K. Hall. Estimation of Snow Depth from AMSR-E in the GAME-Siberia Experiment Region. Poster presented at the Proceedings of IGARSS, Alaska, USA 2004.

Carroll, T. R. 1997. Integrated Ground-based, Airborne, and Satellite Snow Cover Observations in the National Weather Service. 77th AMS Annual Meeting; Symposium on Integrated Observing Systems, Long Beach, CA.

Carroll, S. S., G. N. Day, N. Cressie, and T. R. Carroll. 1995. Spatial Modeling of Snow Water Equivalent Using Airborne and Ground Based Snow Data. Environmetrics 6: 127-139.

Conway, D. 2002. Advanced Microwave Scanning Radiometer - EOS Quality Assurance Plan. Huntsville, AL: Global Hydrology and Climate Center.

Dewey, K. F. and R. Heim, Jr. 1981. Satellite Observations of Variations in Northern Hemisphere Seasonal Snow Cover. NOAA Technical Report NESS 87.

Foster, J. L., A. T. C. Chang, Dorothy K. Hall, and A. Rango. 1991. Derivation of Snow Water Equivalent in Boreal Forests Using Microwave Radiometry. Arctic 44(1):147-152.

Goodison, B., A. E. Walker, and F. W. Thirkettle. 1990. Determination of Snowcover on the Canadian Prairies Using Passive Microwave Data. Proceedings of the International Symposium on Remote Sensing and Water Resources. Enschede, The Netherlands, 127-136.

Grody, N. C. and A. N. Basist. 1997. Interpretation of SSM/I Measurements Over Greenland. IEEE Transactions on Geoscience and Remote Sensing 35: 360-366.

Hallikainen, M. T., and P. A. Jolma. 1986. Retrieval of Water Equivalent of Snow Cover in Finland by Satellite Microwave Radiometry. Geoscience and Remote Sensing: IEEE Transactions GE-24(6):855-862.

Hansen, M., R. DeFries, J. R. Townshend, M. Carroll, C. Dimiceli, and R. Sohlberg. 2003. 500m MODIS Vegetation Continuous Fields. College Park, Maryland: The Global Land Cover Facility.

Hansen, M. C., R. S. DeFries, J. R. G. Townshend, M. Carroll, C. Dimiceli, and R. A. Sohlberg. 2003. Global Percent Tree Cover at a Spatial Resolution of 500 Meters: First Results of the MODIS Continuous Fields Algorithm. Earth Interactions, 7 10:15.

Josberger, E. G. and N. M. Mognard. 2000. A Passive Microwave Snow Depth Algorithm with a Proxy for Snow Metamorphism. Proceedings of the Fourth International Workshop on Applications of Remote Sensing in Hydrology, Santa Fe, NM.

Kelly, Richard E. J. and J. L. Foster. The AMSR-E Snow Water Equivalent Product: Status and Future Development. Poster presented at the American Geophysical Union Fall Meeting, San Francisco, CA., 5-9 December 2005.

Kelly, Richard E. J., J. L. Foster and Dorothy K. Hall. The AMSR-E Snow Water Equivalent Product: Algorithm Development and Progress in Product Validation. Poster presented at the Proceedings of the 28th General Assembly of the Union of International Radio Science, New Delhi, India, 23-29 October 2005.

Kelly, Richard. E. J., A. T. C. Chang, L. Tsang, and J. L. Foster. 2003. A Prototype AMSR-E Global Snow Area and Snow Depth Algorithm. IEEE Transactions on Geoscience and Remote Sensing 41(2): 230-242.

Kelly, Richard E. J., A. T. C. Chang, J. L. Foster, Dorothy K. Hall, B. b. Stankov, and A. J. Gasiewski, A. J. Testing AMSR-E Snow Retrievals with Cold Lands Processes Experiment Data. Poster presented at the AGU Fall Meeting, San Fransisco, CA., 8-12 December 2003.

Kelly, Richard E. J., A. T. C. Chang, J. L. Foster, and Dorothy K. Hall. The Effect of Sub-pixel Areal Distribution of Snow on the Estimation of Snow Depth from Spaceborne Passive Microwave Instruments. Poster presented at the Proceedings of IGARSS, Toulouse, France, 21-25 July 2003.

Knowles, K. 2004. EASE-Grid Land Cover Data Resampled from Boston University Version of Global 1 km Land Cover from MODIS 2001, Version 4. Boulder CO, USA: National Snow and Ice Data Center. Digital media.

Krenke, A. 1998, updated 2004. Former Soviet Union Hydrological Snow Surveys, 1966-1996. Edited by NSIDC. Boulder, CO: National Snow and Ice Data Center/World Data Center for Glaciology. Digital media.

Kunzi, K. F., S. Patil and H. Rott. 1982. Snow-cover Parameters Retrieved from Nimbus-7 Scanning Multichannel Microwave Radiometer (SMMR) Data. Geoscience and Remote Sensing: IEEE Transactions GE-20(4):452-467.

Matzler, C. 1987. Applications of the Interaction of Microwaves with the Natural Snow Cover. Remote Sensing Reviews Series, Vol. 2. London: Taylor and Frances, Inc. Remote Sensing Rev., 2, 259-391.

Pulliainen, J. T., J. Grandell, and M. T. Hallikainen. 1997. Retrieval of surface temperature in boreal forest zone from SSM/I data. IEEE Transactions on Geosciences and Remote Sensing 35: 1188-1200.

Robinson, D. A. and G. Kukla. 1985. Maximum Surface Albedo of Seasonally Snow Covered Lands in the Northern Hemisphere. Journal of Climate and Applied Meteorology 24: 402-411.

Rott, H. and J. Aschbacher. 1989. Proceedings of the IAHS Third International Assembly on Remote Sensing and Large Scale Global Processes, Baltimore, MD. Publication No. 186.

Sturm, M., J. Holmgren, and G. E. Liston. 1995. A Seasonal Snow Cover Classification System for Local to Global Applications. Journal of Climate 8: 1261-1283.

Sun, C. Y., C. M. U. Neale, and J. J. McDonnell. 1996. Snow Wetness Estimates of Vegetated Terrain from Satellite Passive Microwave Data. Hydrologic Processes 10: 1619-1628.

Walker, A. E. and B. E. Goodison. 1993. Discrimination of Wet Snow Cover Using Passive Microwave Satellite Data. Annals of Glaciology 17: 307-311.

#### **Contact Information**

To order these data or for further information, please contact:

Global Hydrology Resource Center User Services 320 Sparkman Drive Huntsville, AL 35805

Huntsville, AL 35805 Phone: 256-961-7932

E-mail: <a href="mailto:support-ghrc@earthdata.nasa.gov">support-ghrc@earthdata.nasa.gov</a>

Web: <a href="https://ghrc.nsstc.nasa.gov/">https://ghrc.nsstc.nasa.gov/</a>